

# SAFETY DATA SHEET

EN107E/25KG Interpon 700 BLACK Satin

## **SECTION 1: Identification of the substance/mixture and of the company/** undertaking

1.1 Product identifier	
Product name	: EN107E/25KG Interpon 700 BLACK Satin
SDS code	: 8007297 EN107E/25KG

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Industrial use		
	Uses advised against	
All other uses		
Product use . Electrostatic spating for use in industrial plants		

Product use

: Electrostatic coating for use in industrial plants

### 1.3 Details of the supplier of the safety data sheet

AkzoNobel Powder Coatings Limited Stoneygate Lane, Felling, Gateshead. NE10 0JY United Kingdom e-mail address of person : sdsfellinguk@akzonobel.com responsible for this SDS <u>National contact</u> 01 8092566 or 01 8379964 1.4 Emergency telephone number <u>National advisory body/Poison Centre</u> Telephone number : +44 (0)344 892 0111

relephone number	: +44 (0)344 692 0111
<u>Supplier</u>	
Telephone number	: +44 0191 469 6111
Hours of operation	:

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	1/13	AkzoNobel

## **SECTION 2: Hazards identification**

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	May form combustible dust concentrations in air.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: $\mathbf{N}$ o action shall be taken involving any personal risk or without suitable training.

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	2/13	AkzoNobel

EN107E/25KG Interpon 700 BLACK Satin

### **SECTION 4: First aid measures**

### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Coating powders can cause localised skin irritation in folds of the skin or under tight clothing.

#### **Over-exposure signs/symptoms**

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media				
Suitable extinguishing media	:	Use dry chemical pow	/der.	
Unsuitable extinguishing media	:	Avoid high pressure n explosible dust-air mix	nedia which could cause the formatic kture.	on of a potentially
5.2 Special hazards arising	fron	n the substance or mi	xture	
Hazards from the substance or mixture	:	May form explosible o	lust-air mixture if dispersed.	
Hazardous combustion products	:	Decomposition produc carbon dioxide carbon monoxide sulfur oxides halogenated compour metal oxide/oxides	cts may include the following materia	als:
5.3 Advice for firefighters				
Special protective actions for fire-fighters	:	there is a fire. No act suitable training. Mov	cene by removing all persons from the ion shall be taken involving any person re containers from fire area if this car ep fire-exposed containers cool.	onal risk or without
Special protective equipment for fire-fighters		breathing apparatus ( mode. Clothing for fir	ear appropriate protective equipmen SCBA) with a full face-piece operate e-fighters (including helmets, protect an standard EN 469 will provide a ba	d in positive pressure tive boots and gloves)
Date of issue/Date of revision		: 20-2-2023	Version :4	
Date of previous issue		: 30-1-2023	3/13	AkzoNobel

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

Protective measures	: Fut on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	4/13	AkzoNobel

EN107E/25KG Interpon 700 BLACK Satin

## **SECTION 7: Handling and storage**

: Not available.
: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
-----------------------------------	--

### **DNELs/DMELs**

No DNELs/DMELs available.

### PNECs

No PNECs available

8.2 Exposure controls			
Appropriate engineering controls	vapour or mist, use pro engineering controls to recommended or statut	e ventilation. If user operations gen cess enclosures, local exhaust ven keep worker exposure to airborne cory limits. The engineering control rations below any lower explosive li- nent.	itilation or other contaminants below any s also need to keep gas,
Individual protection measure	<u>es</u>		
Hygiene measures	before eating, smoking Appropriate techniques Wash contaminated clo	and face thoroughly after handling and using the lavatory and at the e should be used to remove potentia othing before reusing. Ensure that se to the workstation location.	end of the working period. ally contaminated clothing.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.		
Skin protection			
Hand protection		pervious gloves complying with an a en handling chemical products if a	
Date of issue/Date of revision	: 20-2-2023	Version :4	
Date of previous issue	: 30-1-2023	5/13	AkzoNobel

## **SECTION 8: Exposure controls/personal protection**

	For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
	The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
	Personnel should wear protective clothing. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at the neck and wrists through contact with the powder are avoided.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Powder.]
Colour	: Black.
Odour	: Odourless.
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flammability	: Not available.
Lower and upper explosion limit	: 20 - 70 g/m3
Flash point	: Closed cup: Not applicable. [Pensky-Martens]
Auto-ignition temperature	: 450 to 600°C (842 to 1112°F)
Decomposition temperature	: Not available.
рН	: Not applicable. [DIN EN 1262]
Viscosity	: Kinematic (room temperature): Not applicable. [DIN EN ISO 3219] Kinematic (40°C): Not applicable. [DIN EN ISO 3219]
Solubility(ies)	:



<b>SECTION 9: Physical</b>	and chemical properties
Media	Result
cold water	Not soluble [OESO (TG 105)]
Partition coefficient: n-octa water	nol/ : Not applicable.
Vapour pressure	: Not available.
Relative density	: 1.2 to 1.9 [ISO 8130-2/-3]
Vapour density	: Not applicable.
Particle characteristics Median particle size	: Not available.
9.2 Other information Minimum ignition energy (m	
<b>SECTION 10: Stabilit</b>	y and reactivity
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.
10.5 Incompatible materials	: Reactive or incompatible with the following materials: oxidising materials
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>SECTION 11: Toxicol</b>	ogical information
11.1 Information on toxicolog	ical effects
Acute toxicity	
Conclusion/Summary <u>Acute toxicity estimates</u>	: Not available.

N/A	
Irritation/Corrosion	<b></b>
Conclusion/Summary	: Not available.
Sensitisation	

#### Conclusion/Summary : Not available. **Mutagenicity** Conclusion/Summary : Not available.

- **Carcinogenicity**
- Conclusion/Summary : Not available. **Reproductive toxicity**

Date of issue/Date of revision	: 20-2-2023	Version :4	
Date of previous issue	: 30-1-2023	7/13	AkzoNobel

EN107E/25KG Interpon 700 BLACK Satin

SECTION 11: Toxico	logic	al information				
Conclusion/Summary	-	t available.				
<u>Teratogenicity</u>						
Conclusion/Summary	: No	t available.				
Specific target organ toxicit	v (sind	ale exposure)				
Not available.						
Specific target organ toxicit	y (repe	<u>eated exposure)</u>				
Not available.						
Aspiration hazard						
Not available.						
Information on likely routes of exposure	: No	t available.				
Potential acute health effects	<u>5</u>					
Eye contact		posure to airborne con its may cause irritation		ove statu	itory or recomme	nded exposure
Inhalation		posure to airborne con its may cause irritation				nded exposure
Skin contact	: No	known significant effe	cts or critical ha	azards.		
Ingestion	: No	known significant effe	cts or critical ha	azards.		
Symptoms related to the phy	<u>sical, e</u>	chemical and toxicol	ogical charact	<u>eristics</u>		
Eye contact	irrit	verse symptoms may i tation Iness	nclude the follo	wing:		
Inhalation	res	verse symptoms may i piratory tract irritation ughing	nclude the follo	wing:		
Skin contact		specific data.				
Ingestion		specific data.				
Delayed and immediate effect	ts as v	vell as chronic effect	s from short a	nd lona	-term exposure	
Short term exposure					<b>_</b>	
Potential immediate effects	: No	t available.				
Potential delayed effects	: No	t available.				
Long term exposure						
Potential immediate effects	: No	t available.				
Potential delayed effects	: No	t available.				
Potential chronic health effe	<u>ects</u>					
Not available.						
Conclusion/Summary	: No	t available.				
General	: Re	peated or prolonged ir	halation of dus	t may le	ad to chronic resp	piratory irritation.
Carcinogenicity	: No	known significant effe	cts or critical ha	azards.		
Mutagenicity	: No	known significant effe	cts or critical ha	azards.		
Reproductive toxicity	: No	known significant effe	cts or critical ha	azards.		
Date of issue/Date of revision	: 2	0-2-2023		Version	:4	
Date of previous issue	: 3	0-1-2023	ä	8/13		AkzoNobel
-						

EN107E/25KG Interpon 700 BLACK Satin

## **SECTION 11: Toxicological information**

### 11.2 Information on other hazards

### 11.2.1 Endocrine disrupting properties

Not available.

### 11.2.2 Other information

Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

There are no data available on the mixture itself.

Coating powder residues should not be allowed to enter drains or watercourses or be deposited where they could affect ground or surface waters.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

### 12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Not available.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

Product

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible.
	Disposal of this product, solutions and any by-products should at all times comply
	with the requirements of environmental protection and waste disposal legislation and
	any regional local authority requirements. Dispose of surplus and non-recyclable
	products via a licensed waste disposal contractor. Waste should not be disposed of
	untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	9/13	AkzoNobel

## SECTION 13: Disposal considerations

Hazardous waste	: ₩ithin the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.
Disposal considerations	: Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

### European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

	Waste code	Waste designation		
	EWC 08 02 01	waste coating powders		
P	Packaging			
	Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.		
	Disposal considerations	<ul> <li>Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.</li> </ul>		
S	pecial precautions	Phis material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.		

## **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in** : Not applicable. **bulk according to IMO instruments** 



SECTION 15: Regula	tory information	า	
5.1 Safety, health and envir	onmental regulations	legislation specific for the substanc	e or mixture
<u>UK (GB) /REACH</u>			
Annex XIV - List of substa	nces subject to autho	<u>risation</u>	
Annex XIV			
None of the components a	are listed.		
Substances of very high			
None of the components a	are listed.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
Other EU regulations			
VOC	: Not applicable.		
VOC for Ready-for-Use Mixture	: Not applicable.		
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed		
Industrial emissions (integrated pollution prevention and control) - Water	: Not listed		
Ozone depleting substand Not listed.	<u>ces (1005/2009/EU)</u>		
Prior Informed Consent (F	PIC) (649/2012/EU)		
Not listed.			
Persistent Organic Polluta Not listed.	<u>ants</u>		
Seveso Directive			
This product is not controlle	d under the Seveso Dire	ective.	
National regulations			
Industrial use	own assessment o	ntained in this safety data sheet does n f workplace risks, as required by other l visions of the national health and safety oduct at work.	nealth and safety
International regulations			
Chemical Weapon Convent	ion List Schedules I, I	<u>I &amp; III Chemicals</u>	
Not listed.			
<u>Montreal Protocol</u> Not listed.			
Stockholm Convention on	Persistent Organic Po	llutants	
Not listed.			
Rotterdam Convention on I	Prior Informed Conser	<u>ht (PIC)</u>	
ate of issue/Date of revision	: 20-2-2023	Version : 4	

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	11/13	AkzoNobel
Date of previous issue	: 30-1-2023	11/13	AKZONODEI

EN107E/25KG Interpon 700 BLACK Satin

### SECTION 15: Regulatory information

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

## **15.2 Chemical safety** : No Chemical Safety Assessment has been carried out.

assessment

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

### Full text of abbreviated H statements

Not applicable.

### Full text of classifications [CLP/GHS]

Not applicable.

Date of printing	: 20 February 2023
Date of issue/ Date of revision	: 20 February 2023
Date of previous issue	: 30 January 2023
Version	: 4
Unique ID	:
· · · · ·	

#### Notice to reader

#### FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Date of issue/Date of revision	: 20-2-2023	Version : 4	
Date of previous issue	: 30-1-2023	12/13	AkzoNobel

EN107E/25KG Interpon 700 BLACK Satin

## **SECTION 16: Other information**

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

