

SAFETY DATA SHEET

MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: MW171E/25KG Interpon 610 ALUMINIUM Satin
SDS code	: 8010502 MW171E/25KG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Mustrial use		
	Uses advised against	
All other uses		
Product use	: Electrostatic coating for use in industrial plants	

1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the safety data sheet
AkzoNobel Powder Coatings Limited Stoneygate Lane, Felling, Gateshead. NE10 0JY United Kingdom
e-mail address of person : sdsfellinguk@akzonobel.com responsible for this SDS
National contact
01 8092566 or 01 8379964
1.4 Emergency telephone number
National advisory body/Poison Centre
T alas kasa ang kasa

Telephone number	: +44 (0)344 892 0111
<u>Supplier</u>	
Telephone number	: +44 0191 469 6111
Hours of operation	:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

1.4

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
Date of previous issue	: 23-8-2022	1/13	AkzoNobel

SECTION 2: Hazards identification

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Safety data sheet available on request. Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	
Special packaging requirem	en	ts
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	:	May form combustible dust concentrations in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: First aid measures

4.1 Description of first aid	measures			
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and eyelids. Check for and remove any contact lenses. Get medical attention if occurs. 			
Inhalation	Get medical attention if s	air and keep at rest in a position comf symptoms occur. In case of inhalatio oms may be delayed. The exposed p eillance for 48 hours.	n of decomposition	
Skin contact	: Flush contaminated skin shoes. Get medical atte	with plenty of water. Remove contain ntion if symptoms occur.	minated clothing and	
Ingestion	person is conscious, give	ter. If material has been swallowed a e small quantities of water to drink. D by medical personnel. Get medical a	Do not induce vomiting	
Date of issue/Date of revision	: 30-1-2023	Version : 2.01		
Date of previous issue	: 23-8-2022	2/13	AkzoNobel	

MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 4: First aid measures

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Coating powders can cause localised skin irritation in folds of the skin or under tight clothing.

Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	Use dry chemical powde	er.	
Unsuitable extinguishing media	:	Avoid high pressure me explosible dust-air mixtu	dia which could cause the formati re.	on of a potentially
5.2 Special hazards arising f	from	the substance or mixt	ure	
Hazards from the substance or mixture	:	May form explosible due	t-air mixture if dispersed.	
Hazardous combustion products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides		
5.3 Advice for firefighters				
Special protective actions for fire-fighters	:	there is a fire. No action suitable training. Move	ne by removing all persons from t a shall be taken involving any pers containers from fire area if this ca p fire-exposed containers cool.	onal risk or without
Special protective equipment for fire-fighters		Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		
Date of issue/Date of revision		: 30-1-2023	Version : 2.01	
Date of previous issue		: 23-8-2022	3/13	AkzoNobel

SECTION 6: Accidental release measures

6.1	Personal	precautions.	protective	eauipment	and emerg	gency procedures
••••		p: • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • •		

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.	
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environment pollution (sewers, waterways, soil or air).	
6.3 Methods and material for	containment and cleaning up	
Small spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.	
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
Date of previous issue	: 23-8-2022	4/13	AkzoNobel

MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 7: Handling and storage

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
-----------------------------------	--

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls					
Appropriate engineering controls	vapour engine recom vapour	r or mist, use proce eering controls to ke mended or statutor	entilation. If user ope ess enclosures, local e eep worker exposure y limits. The enginee tions below any lower nt.	exhaust ventilation to airborne contar ering controls also	n or other minants below any need to keep gas,
Individual protection meas	<u>sures</u>				
Hygiene measures	before Approp Wash	e eating, smoking ar priate techniques sl contaminated cloth	nd face thoroughly aft nd using the lavatory a nould be used to remain ing before reusing. E to the workstation loc	and at the end of ove potentially con Ensure that eyewa	the working period. ntaminated clothing.
Eye/face protection	assess gases unless side-sh	sment indicates this or dusts. If contac the assessment in	g with an approved sta is necessary to avoid t is possible, the follow dicates a higher degr conditions cause high	d exposure to liqu wing protection sh ree of protection:	id splashes, mists, nould be worn, safety glasses with
Skin protection					
Hand protection	be wor		vious gloves complyi handling chemical pr		
Date of issue/Date of revision	: 30-1-2	2023	Version	: 2.01	
Date of previous issue	: 23-8-2	:022	5/13		AkzoNobel

SECTION 8: Exposure controls/personal protection

	For all types of exposure, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness ≥ 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
	The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.
	The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
	Personnel should wear protective clothing. Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at the neck and wrists through contact with the powder are avoided.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Powder.]
Colour	: Grey.
Odour	: Odourless.
Odour threshold	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flammability	: Not available.
Lower and upper explosion limit	: 20 - 70 g/m3
Flash point	: 🗭losed cup: Not applicable. [Pensky-Martens]
Auto-ignition temperature	: 450 to 600°C (842 to 1112°F)
Decomposition temperature	: Not available.
рН	: Not applicable. [DIN EN 1262]
Viscosity	: Kinematic (room temperature): Not applicable. [DIN EN ISO 3219] Kinematic (40°C): Not applicable. [DIN EN ISO 3219]
Solubility(ies)	:



SECTION 9: Physica	d chemical properties	
Media	Result	
old water	Not soluble [OESO (TG 105)]	
Partition coefficient: n-octa water	: Not applicable.	
Vapour pressure	: Not available.	
Relative density	: 1.2 to 1.9 [ISO 8130-2/-3]	
Vapour density	: Not applicable.	
Particle characteristics Median particle size	• Not available.	
9.2 Other information Minimum ignition energy (n	: 5 to 20	
SECTION 10: Stabilit	nd reactivity	
10.1 Reactivity	o specific test data related to reactivity available for this product or its ir	igredients.
10.2 Chemical stability	he product is stable.	
10.3 Possibility of hazardous reactions	nder normal conditions of storage and use, hazardous reactions will no	t occur.
10.4 Conditions to avoid	void the creation of dust when handling and avoid all possible sources of park or flame). Take precautionary measures against electrostatic disc o avoid fire or explosion, dissipate static electricity during transfer by ea onding containers and equipment before transferring material. Prevent ccumulation.	charges. arthing and
10.5 Incompatible materials	eactive or incompatible with the following materials: kidising materials	
10.6 Hazardous decomposition products	nder normal conditions of storage and use, hazardous decomposition p nould not be produced.	oroducts
SECTION 11: Toxico	cal information	
11.1 Information on toxicolog	effects	

11.1 Information on toxicold	gica	al effects
Acute toxicity		
Conclusion/Summary	:	Not available.
Acute toxicity estimates		
N/A		
Irritation/Corrosion		
Conclusion/Summary	:	Not available.
Sensitisation		
Conclusion/Summary	:	Not available.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Not available.
Carcinogenicity		
Conclusion/Summary	:	Not available.
Reproductive toxicity		
Date of issue/Date of revision		: 30-1-2023
Date of previous issue		: 23-8-2022



		1 610 ALUMINIUM Satin	
SECTION 11: Toxico	logical information		
Conclusion/Summary	: Not available.		
<u>Teratogenicity</u>			
Conclusion/Summary	: Not available.		
Specific target organ toxicit	<u>ty (single exposure)</u>		
Not available.			
Specific target organ toxicit	ty (repeated exposure)		
Not available.	LI TICHOUTON EVHOSUICI		
Aspiration hazard			
Not available.			
Information on likely routes of exposure	: Not available.		
Potential acute health effects	8		
Eye contact	: Exposure to airborne cor limits may cause irritation	icentrations above statutory or recon n of the eyes.	nmended exposure
Inhalation		icentrations above statutory or recon n of the nose, throat and lungs.	nmended exposure
Skin contact	: No known significant effe	ects or critical hazards.	
Ingestion	: No known significant effe	ects or critical hazards.	
Symptoms related to the phy	vsical, chemical and toxicol	ogical characteristics	
Eye contact	: Adverse symptoms may	include the following:	
	irritation redness		
Inhalation	: Adverse symptoms may respiratory tract irritation	include the following:	
	coughing		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
	ts as well as chronic effect	s from short and long-term expos	ure
Short term exposure	N 1 (
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Long term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Potential chronic health effe	<u>ects</u>		
Not available.			
Conclusion/Summary	: Not available.		
General	: Repeated or prolonged in	halation of dust may lead to chronic	respiratory irritation.
Carcinogenicity	: No known significant effe	ects or critical hazards.	
Mutagenicity	: No known significant effe	ects or critical hazards.	
Reproductive toxicity	: No known significant effe	ects or critical hazards.	
Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
	. 30-1-2023		AkzoNobol



MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 11: Toxicological information

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself.

Coating powder residues should not be allowed to enter drains or watercourses or be deposited where they could affect ground or surface waters.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible.
	Disposal of this product, solutions and any by-products should at all times comply
	with the requirements of environmental protection and waste disposal legislation and
	any regional local authority requirements. Dispose of surplus and non-recyclable
	products via a licensed waste disposal contractor. Waste should not be disposed of
	untreated to the sewer unless fully compliant with the requirements of all authorities
	with jurisdiction.

Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
Date of previous issue	: 23-8-2022	9/13	AkzoNobel

SECTION 13: Disposal considerations Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC. Disposal considerations : Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

	Waste code	Waste designation
	EWC 08 02 01	waste coating powders
P	Packaging	
	Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
	Disposal considerations	 Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
S	special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not applicable. bulk according to IMO instruments



mation
ulations/legislation specific for the substance or mixture
to authorisation
able.
able.
cable.
<u>9/EU)</u>
<u>/EU)</u>
eveso Directive.
nation contained in this safety data sheet does not constitute the user's ssment of workplace risks, as required by other health and safety a. The provisions of the national health and safety at work regulations apply of this product at work.
dules I, II & III Chemicals
c

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
Date of previous issue	: 23-8-2022	11/13	AkzoNobel

MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 15: Regulatory information

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety : No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (1272/2008]	
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

Date of printing	: 31 January 2023
Date of issue/ Date of revision	: 30 January 2023
Date of previous issue	: 23 August 2022
Version	: 2.01
Unique ID	:

Notice to reader

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Date of issue/Date of revision	: 30-1-2023	Version : 2.01	
Date of previous issue	: 23-8-2022	12/13	AkzoNobel

MW171E/25KG Interpon 610 ALUMINIUM Satin

SECTION 16: Other information

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Date of issue/Date of revision
Date of previous issue

