

SAFETY DATA SHEET

PZ002QF 23-9030 INTERPON 200 CLEAR U1575-1

Section 1. Identification

Product identifier	: PZ002QF 23-9030 INTERPON 200 CLEAR U1575-1
SDS code	: 8121268 PZ002QF/20KG

Relevant identified uses of the substance or mixture and uses advised against

Recommended use		
Industrial use		
	Restrictions on use	
All other uses		
Product use	: Electrostatic coating for use in industrial plants	
Supplier's details		
Akzo Nobel Coatings 150 Columbia Street Reading, PA 19601 U 1-610-372-3600	110 Woodbine Downs Blvd.	
Emergency telephone number (with hours of operation)	CHEMTREC +1 (800) 424-9300 (Inside the US) CHEMTREC International +1 (703) 527-3887 (Outside the US, collect calls accepted) Domestic Poison Control Center Customer Service +1 (800) 854-6813 24 hours	
Section 2. Hazard	identification	
Classification of the substance or mixture	: COMBUSTIBLE DUSTS - Category 1	
GHS label elements		
Signal word	: Warning	
Hazard statements	: May form combustible dust concentrations in air.	
Precautionary statements		
Prevention	: Not applicable.	
Response	: Not applicable.	
Storage	: Not applicable.	
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.	
Supplemental label elements	: Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.	



Section 3. Composition/information on ingredients

Substance/mixture

Other means of identification : Mixture

: Not available.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Section 4. First-aid measures

Description of necessary first aid measuresEye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower
eyelids. Check for and remove any contact lenses. Get medical attention if irritation
occurs.Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and
shoes. Get medical attention if symptoms occur.Ingestion: Wash out mouth with water. If material has been swallowed and the exposed
person is conscious, give small quantities of water to drink. Do not induce vomiting
unless directed to do so by medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects

i olenilai acule neallii ei		
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.	
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
<u>Over-exposure signs/syr</u>	nptoms	
Eye contact	: Adverse symptoms may include the following: irritation redness	
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
Specific treatments	: No specific treatment.	

See toxicological information (Section 11)

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.



Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical powder.
Unsuitable extinguishing media	: Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	: May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	action shall be taken involving any personal risk or without suitable trainir acuate surrounding areas. Keep unnecessary and unprotected personnel ering. Do not touch or walk through spilled material. Shut off all ignition s flares, smoking or flames in hazard area. Avoid breathing dust. Put on propriate personal protective equipment.	from
For emergency responders	pecialized clothing is required to deal with the spillage, take note of any prmation in Section 8 on suitable and unsuitable materials. See also the prmation in "For non-emergency personnel".	
Environmental precautions	bid dispersal of spilled material and runoff and contact with soil, waterways ins and sewers. Inform the relevant authorities if the product has caused rironmental pollution (sewers, waterways, soil or air).	
Methods and materials for co	nent and cleaning up	
Small spill	ve containers from spill area. Use spark-proof tools and explosion-proof ipment. Vacuum or sweep up material and place in a designated, labele itainer. Dispose of via a licensed waste disposal contractor.	d waste
Large spill	ve containers from spill area. Use spark-proof tools and explosion-proof lipment. Approach release from upwind. Prevent entry into sewers, wate lirses, basements or confined areas. Vacuum or sweep up material and p esignated, labeled waste container. Avoid creating dusty conditions and p d dispersal. Dispose of via a licensed waste disposal contractor. Note: s ction 1 for emergency contact information and Section 13 for waste dispose	olace in prevent ee

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Avoid contact with eyes of dust when handling a Prevent dust accumulat respirator when ventilati approved alternative ma in use. Electrical equipt	onal protective equipment (see Section , skin and clothing. Avoid breathing d nd avoid all possible sources of ignition ion. Use only with adequate ventilation on is inadequate. Keep in the originate ade from a compatible material, kept t ment and lighting should be protected st coming into contact with hot surfact	ust. Avoid the creation on (spark or flame). on. Wear appropriate I container or an ightly closed when not to appropriate
Date of issue/Date of revision	: 2/6/2023	Version : 1.02	
Date of previous issue	: 12/13/2022	3/9	AkzoNobel

Section 7. Handling and storage

		ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters			
Occupational exposure lir None.	<u>nits</u>		
Appropriate engineering controls	vapor or mist, use proce controls to keep worker recommended or statute	ventilation. If user operations ger ess enclosures, local exhaust vent exposure to airborne contaminan ory limits. The engineering contro tions below any lower explosive lin	ilation or other engineering ts below any Is also need to keep gas,
Environmental exposure controls	they comply with the rec cases, fume scrubbers,	on or work process equipment sh uirements of environmental prote filters or engineering modification sary to reduce emissions to acce	ction legislation. In some s to the process
Individual protection meas	ures		
Hygiene measures	eating, smoking and usi Appropriate techniques Wash contaminated clo	and face thoroughly after handling ng the lavatory and at the end of t should be used to remove potenti thing before reusing. Ensure that e to the workstation location.	he working period. ally contaminated clothing.
Eye/face protection	assessment indicates th gases or dusts. If conta unless the assessment	ng with an approved standard sho is is necessary to avoid exposure ct is possible, the following protec indicates a higher degree of prote g conditions cause high dust cond	to liquid splashes, mists, tion should be worn, ction: safety glasses with
Skin protection			
Hand protection	be worn at all times whe this is necessary. Cons check during use that th should be noted that the different for different glo	ervious gloves complying with an en handling chemical products if a idering the parameters specified b e gloves are still retaining their pro- time to breakthrough for any glov ve manufacturers. In the case of protection time of the gloves can	risk assessment indicates by the glove manufacturer, otective properties. It ve material may be mixtures, consisting of
Date of issue/Date of revision	: 2/6/2023	Version : 1.02	
Date of previous issue	: 12/13/2022	4/9	AkzoNobel

Section 8. Exposure controls/personal protection

-		
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	
Section 9 Develoal and chemical properties and safety		

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Physical state	: Solid. [Powder.]
Color	: 🖉olorless.
Odor	: Odorless.
Odor threshold	: Not available.
рН	: Not applicable. [DIN EN 1262]
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Closed cup: Not applicable. [Pensky-Martens]
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: 20 - 70 g/m3
Vapor pressure	: Not available.
Relative vapor density	: Not applicable.
Relative density	: 1.2 to 1.9 [ISO 8130-2/-3]
Solubility(ies)	:

Media		Result
cold water		Not soluble [OESO (TG 105)]
Partition coefficient: n- octanol/water	: Not	applicable.
Auto-ignition temperature	: 450	to 600°C (842 to 1112°F)
Decomposition temperature	: Not available.	
Minimum ignition energy (mJ)	: 5 to	20
Viscosity		ematic (room temperature): Not applicable. [DIN EN ISO 3219] ematic (40°C (104°F)): Not applicable. [DIN EN ISO 3219]
Particle characteristics Median particle size	: Not	available.



Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects



Section 11. Toxicological information

Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
	the physical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation

	coughing
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	;	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

<u>Toxicity</u>

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Date of issue/Date of revision	: 2/6/2023
Date of previous issue	: 12/13/2022



Section 12. Ecological information

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and
		runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

The information provided in section 14 is based on a bulk package shipment via ground transport in North America. All shippers are responsible for ensuring the proper transportation classification and package/container requirements are followed for the relevant mode of transport.

	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments



Section 15. Regulatory information

<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Inventory list	
Canada	: All components are listed or exempted.
United States	: All components are active or exempted.

Section 16. Other information

<u>History</u>	
Date of printing	: 6 February 2023
Date of issue/ Date of revision	: 6 February 2023
Date of previous issue	: 13 December 2022
Version	: 1.02
Unique ID	:
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

Procedure used to derive the classification

Classification	Justification
COMBUSTIBLE DUSTS - Category 1	On basis of test data

Indicates information that has changed from previously issued version.

Notice to reader

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Date of issue/Date of revision	: 2/6/2023	Version : 1.02	
Date of previous issue	: 12/13/2022	9/9	AkzoNobel