

SAFETY DATA SHEET

HLG09R_US RESICOAT® EL GREY

Section 1. Identification

GHS product identifier SDS code

: HLG09R_US RESICOAT® EL GREY
: 8268202 HLG09R_US/25KG

Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | | | |
|---|--|--|-----------------------------|
| Powder coating. Professional use Industrial use | | | |
| | Uses advise | d against | |
| All other uses | | | |
| Product use | : Electrostatic coating for use i | n industrial plants | |
| Supplier's details | | | |
| Akzo Nobel Coatings 20 Culvert Street Nashville, TN 37210 United States of Ame | | | |
| Emergency telephone number (with hours of operation) | | 703-527-3887 (outside the US c nter Customer Service +1 (800) | |
| Section 2. Hazards | s identification | | |
| OSHA/HCS status | : This material is considered h (29 CFR 1910.1200). | azardous by the OSHA Hazard | Communication Standard |
| Classification of the substance or mixture | : COMBUSTIBLE DUSTS SERIOUS EYE DAMAGE - C SKIN SENSITIZATION - Cate CARCINOGENICITY - Categ TOXIC TO REPRODUCTION | egory 1 ory 2 | |
| GHS label elements | | | |
| Hazard pictograms | | !> | |
| Signal word | : Danger | | |
| Hazard statements | : May cause an allergic skin re Causes serious eye damage Suspected of causing cancer May damage fertility or the un May form combustible dust c | nborn child. | |
| Precautionary statements | | | |
| Prevention | : Obtain special instructions be eye or face protection. Avoid | fore use. Wear protective glov breathing dust or mist. | es, protective clothing and |
| Date of issue/Date of revision | : 2/24/2023 | Version : 1 | |
| Date of previous issue | : No previous validation | 1/13 | AkzoNobel |

Section 2. Hazards identification

| Response | : IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. |
|-------------------------------------|--|
| Storage | : Not applicable. |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation. |
| Hazards not otherwise classified | : None known. |
| Section 2 Comp | acition/information on ingradianta |

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. |
|--------------|--|
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

| Eye contact Inhalation Skin contact | Causes serious eye damage. Exposure to airborne concent may cause irritation of the nos May cause an allergic skin real | rations above statutory or reco se, throat and lungs. | mmended exposure limits |
|---|---|--|-------------------------|
| Date of issue/Date of revision | : 2/24/2023 | Version :1 | |
| Date of previous issue | : No previous validation | 2/13 | AkzoNobel |

Section 4. First aid measures

| Ingestion | : No known significant effects or critical hazards. |
|----------------------------|---|
| Over-exposure signs/symp | <u>ptoms</u> |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations |
| Ingestion | : Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations |
| ndication of immediate mee | dical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth to mouth requestion. |

give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media : Use dry chemical powder. Suitable extinguishing media : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Specific hazards arising from the chemical : May form explosible dust-air mixture if dispersed. Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide halogenated compounds metal oxide/oxides Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Date of issue/Date of revision 2:2/24/2023 Version : 1 AkzoNob | | | |
|---|--------------------------------|--|-------------------|
| media Unsuitable extinguishing media Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Specific hazards arising from the chemical May form explosible dust-air mixture if dispersed. Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Date of issue/Date of revision : 2/24/2023 Version : 1 | Extinguishing media | | |
| media dust-air mixture. Specific hazards arising from the chemical : May form explosible dust-air mixture if dispersed. Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Date of issue/Date of revision : 2/24/2023 Version : 1 | | se dry chemical powder. | |
| from the chemical Hazardous thermal decomposition products : Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Date of issue/Date of revision : 2/24/2023 | | | tially explosible |
| decomposition products carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Date of issue/Date of revision : 2/24/2023 | • | lay form explosible dust-air mixture if dispersed. | |
| for fire-fightersthere is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.Date of issue/Date of revision: 2/24/2023Version: 1 | | arbon dioxide arbon monoxide alogenated compounds | |
| Altzahlah | · · | nere is a fire. No action shall be taken involving any personal risk or w aining. Move containers from fire area if this can be done without risk | ithout suitable |
| Date of previous issue : No previous validation 3/13 AkzoNob | Date of issue/Date of revision | 2/24/2023 Version : 1 | |
| | Date of previous issue | No previous validation 3/13 | AkzoNobel |

before removing it, or wear gloves.

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | vacuate su ntering. Do lo flares, sn entilation. N | all be taken involving any personal risk or without suitable training. rrounding areas. Keep unnecessary and unprotected personnel from o not touch or walk through spilled material. Shut off all ignition sources. noking or flames in hazard area. Do not breathe dust. Provide adequate Wear appropriate respirator when ventilation is inadequate. Put on personal protective equipment. |
|--------------------------------|---|--|
| For emergency responders | • | I clothing is required to deal with the spillage, take note of any information in suitable and unsuitable materials. See also the information in "For non- bersonnel". |
| Environmental precautions | nd sewers. | sal of spilled material and runoff and contact with soil, waterways, drains Inform the relevant authorities if the product has caused environmental wers, waterways, soil or air). |
| Methods and materials for co | nment and | cleaning up |
| Small spill | void dust g IEPA filter a | ners from spill area. Use spark-proof tools and explosion-proof equipment. eneration. Do not dry sweep. Vacuum dust with equipment fitted with a and place in a closed, labeled waste container. Place spilled material in a labeled waste container. Dispose of via a licensed waste disposal |
| Large spill | pproach re | ners from spill area. Use spark-proof tools and explosion-proof equipment. lease from upwind. Prevent entry into sewers, water courses, basements areas. Avoid dust generation. Do not dry sweep. Vacuum dust with |

equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |



Section 7. Handling and storage

| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
|--|--|
|--|--|

Section 8. Exposure controls/personal protection

Control parameters

Date of previous issue

Occupational exposure limits

| Ingredient name | Exposure limits |
|--------------------------------|---|
| Limestone | None. |
| titanium dioxide | OSHA PEL (United States, 5/2018). |
| | TWA: 15 mg/m ³ 8 hours. Form: Total dust |
| | OSHA PEL 1989 (United States, 3/1989). |
| | TWA: 10 mg/m ³ 8 hours. Form: Total dust |
| | ACGIH TLV (United States, 3/2020). Notes: |
| | Substance identified by other sources as a |
| | suspected or confirmed human carcinogen. |
| | 1996 Adoption Substances for which the |
| | TLV is higher than the OSHA Permissible |
| | Exposure Limit (PEL) and/or the NIOSH |
| | Recommended Exposure Limit (REL). See |
| | CFR 58(124) :36338-33351, June 30, 1993, |
| | for revised OSHA PEL. Refers to Appendix |
| | A Carcinogens. |
| | TWA: 10 mg/m³ 8 hours. |
| manganese ferrite black spinel | None. |
| bisphenol A | None. |
| 2-methylimidazole | None. |

| Appropriate engineering controls | or mist, use process enclos to keep worker exposure to limits. The engineering cor | tilation. If user operations generations, local exhaust ventilation or airborne contaminants below an trols also need to keep gas, vapo imits. Use explosion-proof ventila | other engineering controls y recommended or statutory or or dust concentrations |
|----------------------------------|---|--|---|
| Environmental exposure controls | they comply with the require cases, fume scrubbers, filte | or work process equipment shoul ements of environmental protection ars or engineering modifications to emissions to acceptable levels. | on legislation. In some |
| Individual protection measu | ires | | |
| Hygiene measures | eating, smoking and using t Appropriate techniques sho Contaminated work clothing | face thoroughly after handling ch he lavatory and at the end of the uld be used to remove potentially should not be allowed out of the re reusing. Ensure that eyewash orkstation location. | working period. / contaminated clothing. workplace. Wash |
| Eye/face protection | assessment indicates this is gases or dusts. If contact is the assessment indicates a | with an approved standard should s necessary to avoid exposure to s possible, the following protectio higher degree of protection: che hazards exist, a full-face respirat | liquid splashes, mists, n should be worn, unless emical splash goggles and/ |
| Skin protection | | | |
| Date of issue/Date of revision | : 2/24/2023 | Version : 1 | |
| Date of previous issue | : No previous validation | 5/13 | AkzoNobel |

: No previous validation

5/13

Section 8. Exposure controls/personal protection

| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
|------------------------|--|
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| | |

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

| Appearance | | |
|--|---|--|
| Physical state | : | Solid. [Powder.] |
| Color | : | Gray. |
| Odor | : | Odorless. |
| Odor threshold | : | Not available. |
| рН | : | Not applicable. |
| Melting point/freezing point | : | Not available. |
| Boiling point, initial boiling point, and boiling range | : | Not available. |
| Flash point | : | Closed cup: Not applicable. |
| Flammability | : | Not available. |
| Lower and upper explosion limit/flammability limit | : | Not available. |
| Vapor pressure | : | |
| Relative vapor density | : | |
| Relative density | : | 1.2 to 1.9 [ISO 8130-2/-3] |
| Solubility(ies) | : | |
| Not available. | | |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | 450 to 600°C (842 to 1112°F) |
| Decomposition temperature | : | Not available. |
| Minimum ignition energy (mJ) | : | 5 to 20 |
| Viscosity | : | Kinematic (room temperature): Not applicable. Kinematic (40°C (104°F)): Not applicable. |
| Particle characteristics Median particle size | : | |



Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|----------------------|------------|------------|----------|
| bisphenol A | LD50 Dermal | Rabbit | 3 mL/kg | - |
| | LD50 Intraperitoneal | Mouse | 150 mg/kg | - |
| | LD50 Intraperitoneal | Rat | 200 mg/kg | - |
| | LD50 Oral | Guinea pig | 4 g/kg | - |
| | LD50 Oral | Guinea pig | 4000 mg/kg | - |
| | LD50 Oral | Mouse | 2400 mg/kg | - |
| | LD50 Oral | Mouse | 2400 mg/kg | - |
| | LD50 Oral | Mouse | 2500 mg/kg | - |
| | LD50 Oral | Mouse | 2500 mg/kg | - |
| | LD50 Oral | Rabbit | 2230 mg/kg | - |
| | LD50 Oral | Rat | 1200 mg/kg | - |
| | LD50 Oral | Rat | 4240 mg/kg | - |
| | LD50 Oral | Rat | 3250 mg/kg | - |
| | LD50 Subcutaneous | Rabbit | 3000 mg/kg | - |
| 2-methylimidazole | LD50 Intraperitoneal | Mouse | 480 mg/kg | - |
| - | LD50 Oral | Mouse | 1400 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|------------------------|---------|-------|--------------------------|-------------|
| bisphenol A | Eyes - Severe irritant | Rabbit | - | 24 hours 250 | - |
| | Skin - Mild irritant | Rabbit | - | ug 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 250 mg | - |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.



Section 11. Toxicological information

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|---------------------------------------|------|----------|-----|
| titanium dioxide 2-methylimidazole | - | 2B 2B | - |

Reproductive toxicity

Not available.

<u>Teratogenicity</u>

Not available.

Specific target organ toxicity (single exposure)

| Name | | Category | Route of exposure | Target organs |
|---|--|----------------------|------------------------------|-----------------------|
| bisphenol A | Category 3 | - | Respiratory tract irritation | |
| Specific target organ toxic Not available. | <u>city (repeated exposure)</u> | | | |
| Aspiration hazard Not available. | | | | |
| nformation on the likely outes of exposure | : Not available. | | | |
| Potential acute health effect | <u>ts</u> | | | |
| Eye contact | : Causes serious eye dama | ge. | | |
| Inhalation | : Exposure to airborne conc may cause irritation of the | | | nended exposure limit |
| Skin contact | : May cause an allergic skin | reaction. | | |
| Ingestion | : No known significant effec | ts or critical hazar | ds. | |
| Eye contact | : Adverse symptoms may in pain watering redness | | | |
| Inhalation | : Adverse symptoms may in respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations | clude the following | g: | |
| Skin contact | : Adverse symptoms may in pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations | clude the following | g: | |
| Ingestion | : Adverse symptoms may in stomach pains reduced fetal weight increase in fetal deaths skeletal malformations | clude the following | g: | |



Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

| Short term exposure | |
|--------------------------------|--|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | ects |
| Not available. | |
| General | : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : May damage fertility or the unborn child. |
| N | |

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

<u>Toxicity</u>

| Product/ingredient name | Result | Species | Exposure |
|--------------------------------|---------------------------------------|--|----------|
| titanium dioxide | Acute EC50 19.3 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 27.8 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 35.306 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 48 hours |
| | Acute LC50 3 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 13.4 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 11 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 3.6 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 15.9 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 6.5 mg/l Fresh water | Daphnia - Daphnia pulex - Neonate | 48 hours |
| | Acute LC50 13 mg/l Fresh water | Daphnia - Daphnia pulex - Neonate | 48 hours |
| | Acute LC50 >1000 mg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Acute LC50 >1000000 µg/l Marine water | Fish - Fundulus heteroclitus | 96 hours |
| bisphenol A | Acute EC50 1000 µg/l Marine water | Algae - Skeletonema costatum | 96 hours |
| | Acute EC50 1800 µg/l Marine water | Algae - Skeletonema costatum | 96 hours |
| | Acute EC50 1.506 mg/l Marine water | Algae - Prorocentrum minimum - Exponential growth phase | 72 hours |
| | Acute EC50 1.51 mg/l Marine water | Algae - Prorocentrum minimum - Exponential growth phase | 72 hours |
| Date of issue/Date of revision | : 2/24/2023 | Version :1 | <u>.</u> |
| Date of previous issue | : No previous validation | 9/13 A | kzoNobe |

Section 12. Ecological information

| ate of issue/Date of revision | : 2/24/2023 | Version :1 | kzoNobo |
|-------------------------------|--|--|----------------------|
| • | | | I |
| 2-methylimidazole | Acute LC50 286000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 0.2 µg/l Fresh water Chronic NOEC 6 µg/l Fresh water | Fish - Carassius auratus - Adult Fish - Oryzias latipes - Embryo | 90 days 44 days |
| | Chronic NOEC 0.2 µg/l Fresh water Chronic NOEC 0.2 µg/l Fresh water | Fish - Carassius auratus - Adult Fish - Carassius auratus - Adult | 90 days |
| | Chronic NOEC 0.2 µg/l Fresh water | Fish - Carassius auratus - Adult | 60 days |
| | Chronic NOEC 0.2 µg/l Fresh water | Fish - Carassius auratus - Adult | 30 days |
| | | Neonate | - |
| | Chronic NOEC 30 µg/l Fresh water | Daphnia - Daphnia magna - | 21 days |
| | Chronic NOEC 0.86 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 21 days |
| | | Neonate | |
| | Chronic NOEC 0.86 mg/l Fresh water | Neonate Daphnia - Daphnia magna - | 21 days |
| | Chronic NOEC 1 mg/l Fresh water | Daphnia - Daphnia magna - | 21 days |
| | Chronic NOEC 0.8 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 21 days |
| | Chronic NOEC 10 µg/l Marine water | Crustaceans - Tigriopus japonicus - Nauplii | 21 days |
| | | japonicus - Nauplii | - |
| | Chronic NOEC 10 µg/l Marine water | japonicus - Nauplii Crustaceans - Tigriopus | 21 days |
| | Chronic NOEC 10 µg/l Marine water | Crustaceans - Tigriopus | 21 days |
| | | Juvenile (Fledgling, Hatchling, Weanling) | |
| | Chronic NOEC 0.05 mg/l Fresh water | Crustaceans - Asellus aquaticus - | 21 days |
| | | Juvenile (Fledgling, Hatchling, Weanling) | |
| | Chronic NOEC 0.1 mg/l Fresh water | Crustaceans - Asellus aquaticus - | 21 days |
| | Chronic NOEC 5 mg/l Fresh water | Exponential growth phase Algae - Chlorella pyrenoidosa | 72 hours |
| | Chronic NOEC 2 mg/l Fresh water | Algae - Chlorolobion braunii - | 4 days |
| | | Exponential growth phase | |
| | Chronic NOEC 4 mg/l Fresh water | Exponential growth phase Algae - Chlorolobion braunii - | 4 days |
| | Chronic NOEC 4 mg/l Fresh water | Algae - Chlorolobion braunii - | 4 days |
| | | Embryo | |
| | Acute LC50 4600 µg/l Fresh water Acute LC50 3.5 mg/l Marine water | Fish - Pimephales promelas Fish - Rivulus marmoratus - | 96 hours 96 hours |
| | Acute LC50 4700 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Acute LC50 4.2 mg/l Fresh water | Fish - Pimephales promelas - Larvae | 96 hours |
| | Acute LC50 12.8 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1600 μg/l Marine water | Crustaceans - Americamysis bahia | 48 hours |
| | | bahia - Larvae | |
| | Acute LC50 1.34 mg/l Marine water | Copepodid Crustaceans - Americamysis | 48 hours |
| | Acute LC50 4.04371 mg/l Marine water | Copepodid Crustaceans - Acartia tonsa - | 48 hours |
| | Acute LC50 3.881 mg/l Marine water | Crustaceans - Acartia tonsa - | 48 hours |
| | Acute LC50 50.4 µg/l Marine water | Crustaceans - Artemia sinica | 48 hours |
| | Acute EC50 5.246 mg/l Fresh water | Young Fish - Danio rerio - Embryo | 96 hours |
| | Acute EC50 9940 μg/l Fresh water | Daphnia - Daphnia magna - | 48 hours |
| | Acute EC50 10200 μg/l Fresh water | Weanling) Daphnia - Daphnia magna | 48 hours |
| | | Juvenile (Fledgling, Hatchling, | - |
| | Acute EC50 20.5 mg/l Fresh water | Neonate Daphnia - Daphnia magna - | 48 hours |
| | Acute EC50 7.75 mg/l Fresh water | Daphnia - Daphnia magna - | 48 hours |
| | | subcapitata | 1 |

Date of previous issue

: 2/24/2023 : No previous validation Version :1 10/13

AkzoNobel

Section 12. Ecological information

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|----------|-----------|
| bisphenol A | 3.4 | 20 to 67 | low |
| 2-methylimidazole | 0.24 | - | low |

Mobility in soil

| Soil/water partition | : Not available. |
|----------------------|------------------|
| coefficient (Koc) | |

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

The information provided in section 14 is based on a bulk package shipment via ground transport in North America. All shippers are responsible for ensuring the proper transportation classification and package/container requirements are followed for the relevant mode of transport.

| | DOT Classification | IMDG | ΙΑΤΑ |
|---|--------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class(es) | - | - | - |
| Packing group Environmental hazards | | - No. | - No. |

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

U.S. Federal regulations

: United States inventory (TSCA 8b):

Not determined.

| State regulations | |
|-------------------|--|
| Massachusetts | The following components are listed: CALCIUM CARBONATE; MARBLE DUST; 4,4'- ISOPROPYLIDENEDIPHENOL; TITANIUM DIOXIDE; TIN DIOXIDE DUST |
| New York | : None of the components are listed. |
| New Jersey | The following components are listed: CALCIUM CARBONATE; LIMESTONE; BISPHENOL A; 4,4'-ISOPROPYLIDENEDIPHENOL; TITANIUM DIOXIDE; TITANIUM OXIDE (TiO2) |
| Pennsylvania | : The following components are listed: LIMESTONE; 4,4'-ISOPROPYLIDENEDIPHENOL; TITANIUM OXIDE; MANGANESE COMPOUNDS |

California Prop. 65

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level | Type of toxicity |
|---------------------------------------|------------------------------|---------------------------------------|---------------------|
| titanium dioxide | - | - | Cancer |
| bisphenol A | - | Yes. | Reproductive female |
| 2-methylimidazole | - | - | Cancer |
| crystalline silica, respirable powder | - | - | Cancer |

Inventory list

Canada

....

: At least one component is not listed in DSL but all such components are listed in NDSL.

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification |
|-------------------------------------|-----------------------|
| COMBUSTIBLE DUSTS | On basis of test data |
| SERIOUS EYE DAMAGE - Category 1 | Calculation method |
| SKIN SENSITIZATION - Category 1 | Calculation method |
| CARCINOGENICITY - Category 2 | Calculation method |
| TOXIC TO REPRODUCTION - Category 1B | Calculation method |

| <u>History</u> | |
|---------------------------------|--------------------------|
| Date of printing | : 24 February 2023 |
| Date of issue/ Date of revision | : 24 February 2023 |
| Date of previous issue | : No previous validation |
| Version | : 1 |
| Unique ID | : |
| | |



Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|-------------------------------|--|
| BCF = Bioconcentration Factor | |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 |
| | as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | N/A = Not available |
| | SGG = Segregation Group |
| | UN = United Nations |
| V Indicatos informatio | in that has changed from providually issued version |

Indicates information that has changed from previously issued version.

Notice to reader

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

